DOI: 10.53555/eijas.v11i1.193

# SCIENTIFIC VALIDATION AND INTEGRATION OF GARBHAANSKARA INTO MODERN PRENATAL CARE

Dr. Aparna Akhani\*

\*BAMS, MS-Shalyatantra Associate Professor Gokul Ayurveda College, Siddhapur, Gujarat

### \*Corresponding Author:

# Abstract

The research analyses the scientific basis of Garbhaanskara, which represents a traditional Indian prenatal concept from Ayurveda that focuses on maternal emotional states combined with direct foetal environmental interactions. The article brings together biomedical evidence alongside classical Indian literature to explain how multiple maternal factors, including stress and psychological status, combined with nutritional inputs and environmental stimulation, influence foetal brain development. These maternal and environmental influences also contribute to genetically modified patterns, which may lead to long-term consequences for future health. The combination of meditation, yoga, music therapy, and mindful nutrition practices described in Garbhaanskara provides documented evidence from neuroscience, obstetrics, and psychology research to support maternal stress reduction, hormone stabilization, and better neurobehavioral development in newborns. Scientific research about prenatal music exposure, alongside studies on mindfulness techniques, along with Ayurvedic nutrition, proves the existence of mechanistic relationships between traditional health practices and measurable maternal-child healthcare benefits. The limitations stem from methodological inconsistencies, small research samples, and the absence of standard measures between investigations, which emphasizes the necessity of conducting randomized controlled studies and international research programs. The review addresses integration obstacles of Garbhaanskara into modern prenatal care while emphasizing educational needs, policy development, and collaborative healthcare practice. The synthesis confirms that Garbhaanskara demonstrates potential to become an effective transformative system of care for maternal and foetal health in our contemporary world because it integrates holistic natural healing practices with cultural sensibility.

Keywords: Garbhaanskara, prenatal care, maternal-foetal health, Ayurveda, epigenetics

# Introduction

The Developmental Origins of Health and Disease (DOHaD) hypothesis (Barker et al., 2007) provides wide support for the notion that prenatal conditions affect long-term health and behavioural outcomes. The Ayurvedic concept of Garbhaanskara demonstrates how proper foetal development can be achieved through dietary care, emotional balance, and sensory experiences that match contemporary biomedical perspectives (Rathod et al., 2025). Modern research shows that maternal mental health problems, such as depression, anxiety, and pregnancy stress, produce negative effects on child brain development, which increases their risk of developing psychiatric illnesses (O'Donnell et al., 2017). The study shows that maternal psychological stress during pregnancy causes structural and functional changes in foetal brain, which lead to increased emotional and behavioural disorders (Van den Bergh et al., 2020). Studies on maternal cortisol and stress hormone programming (Braithwaite et al., 2017) have explained the connection between prenatal environment and mental health outcomes during later life. Studies show that maternal exposure to stress causes changes to both foetal hypothalamic-pituitary-adrenal (HPA) axis operations and neuroendocrine system responses that might predict future mood disorders (Glover et al., 2010).

New findings through foetal neuroimaging show how both maternal mood and environmental exposures impact foetal brain connectivity and function, thus proving the importance of prenatal conditions (Reissland et al., 2018). Early foetal brain networks that respond to maternal effects become detectable through in-utero imaging tests (van den Heuvel et al., 2016). Studies investigating foetal auditory development confirm that babies in the womb react to external noises, together with music, because it corresponds to natural biological processes behind Indian ancestral prenatal care involving song and musical stimulus (Kisilevsky et al., 2016). Studies have demonstrated that foetuses possess basic memory functions by showing both auditory responsiveness to repeated sounds and the ability to recognize familiar from unfamiliar sounds (Hepper et al., 1996). Reviews about sound stimulation during pregnancy demonstrate positive impacts on foetal learning abilities and first-stage neurodevelopmental functions (Movalled et al, 2023). The positive effects of music therapy on foetal heart rate, movement and neonatal results have been scientifically validated through randomized controlled trials and meta-analyses (He et al., 2021). Research into prenatal yoga shows Ayurvedic and integrative health practitioners that these practice methods help mothers experience decreased stress levels and better pregnancy results (Narendran et al., 2005). The study reviews on yoga interventions for pregnant women show positive effects on maternal mental health and anxiety levels, which validate mind-body techniques (Villar-Alises et al., 2023).

Studies demonstrated that prenatal stress exposure leads to sensory integration changes in children because maternal psychological stress affects their postnatal sensory processing (Foster et al., 2006). The assessment of foetal well-being now includes both physical and mental indicators in clinical practice because it represents a holistic approach to prenatal care (David et al., 2022). Extensive research underscores that maternal depression and anxiety strongly affect foetal neurodevelopment while remaining a significant public health issue (Glover et al., 2014).

The field of Ayurveda explores both mind-body, sensory factors, nutritional, and herbal interventions to study their effects on maternal and foetal health (Rathi et al., 2024). Basic research on Ayurveda-based infertility therapy shows positive effects but requires more solid clinical testing, according to Rathi et al. (2024). Literature reviews demonstrate that exposing the foetus to music and sound during pregnancy helps develop their cognitive and emotional functions (Movalled et al., 2023).

Current biomedical research, along with traditional Garbhaanskara understanding, demonstrates that the foetal environment is shaped by maternal psychology, sensory experiences, lifestyle choices, and nutritional intake. These factors together influence optimal foetal growth and serve as predictors of lifelong health (Monk et al., 2019). Research advancement requires critical evaluation of these practices for contemporary prenatal care so that evidence-based progress can be achieved (Field et al., 2011). This review analyzes the scientific research about Garbhaanskara while evaluating its current evidence and suggesting ways it could be used in modern prenatal healthcare.

#### 3. Garbhaanskara: Conceptual Framework



Figure 1: Garbhaanskara: Integrating Core Practices, Precision Medicine, Tradition, and Philosophy

A visual representation of Garbhaanskara highlighting its four integral dimensions—Core Components and Practices, Traditional Underpinnings, Precision Medicine, and Philosophical and Cultural Significance. This framework illustrates the holistic, interdisciplinary nature of Garbhaanskara in prenatal care (Figure 1).

# Traditional Underpinnings: Ayurveda, Upanishads, and Classical Indian Literature

The practice of Garbhaanskara, which means "educating the foetus," exists deeply within classical Indian thought, especially within Ayurveda and the Upanishads. Internal scientific data from ancient India named Ayurveda demonstrates that human development originates before conception because the prenatal environment significantly shapes child health, mental abilities, and personality characteristics, according to Lad (2001) & Sharma (2008). Classic Ayurvedic literature, including the Charaka Samhita and Sushruta Samhita, provides detailed information about both pregnancy biology and instructions for pregnant women regarding their actions and dietary choices for better foetal development (Sharma, 2008; Tiwari, 1999).

The Upanishads recognize prenatal education through their discussion of maternal-foetal communication and the value of meditation and positive thinking during pregnancy (Krishnananda, 1973). Traditional sources support the idea that maternal thoughts, emotions and physical actions transfer directly to the developing foetus, thus creating the foundation for Garbhaanskara practices.

# Core Components and Practices

The core elements of Garbhaanskara combine various holistic practices which aim to develop the foetus toward its best physical, mental, and spiritual development. Dietary regulation stands as the most important aspect because Ayurvedic guidance specifies which foods and herbal preparations mothers should consume to maintain dosha balance (Lad, 2001; Mukherjee & Wahile, 2006). Modern Ayurvedic pharmacology reviews show that traditional maternal nutrition and immunity support come from medicinal plants and herbal preparations (Murthy & Mahajan, 2016). According to Garbhaanskara, the practice of music therapy through classical ragas, devotional songs, and mantras is recommended to support both neural and emotional development of the foetus (Lakhani & Sharma, 2023). The practice of meditation and mindfulness stands as essential components because they help expectant mothers preserve peace while decreasing stress and building a balanced foetal growth environment (Krishnananda, 1973; Verma & Shukla, 2023). Reading sacred or uplifting literature together with visualization practice and positive thinking maintains critical importance because these activities demonstrate how mental impressions during pregnancy shape a child's future disposition (Verma & Shukla, 2023).

Research investigations have examined Garbhaanskara rituals by comparing psychological measurements between pregnant women who perform these rituals and those who do not, showing positive outcomes according to Itraj and Rakhi (2023).

# Philosophical and Cultural Significance

Garbhaanskara contains a deep philosophical foundation that extends past its practical instructions. The belief system considers the prenatal stage as a holy period during which physical development and mental consciousness form (Krishnananda, 1973; Veer, n.d.). The mother holds dual roles as the child's first caregiver and first teacher because her environment, intentions, and awareness directly influence the child's destiny (Lad, 2001). This holistic view fosters a sense of reverence toward motherhood and affirms the interconnectedness of mind, body, and spirit from the earliest stages of life (Tiwari, 1999). Many Indian families continue to practice Garbhaanskara rituals and teachings as a combination of spiritual knowledge and practical healthcare methods to develop a healthier next generation (Lakhani & Sharma, 2023). The traditional beliefs about Garbhaanskara continue to inspire scientific exploration and cross-cultural dialogue as they merge with modern research (Mukherjee & Wahile, 2006).

# 4. Maternal-Foetal Communication and Epigenetics

# Modern Scientific Understanding of Maternal-Foetal Interactions

The intrauterine environment now has an established role in steering both foetal growth and future health development through extensive discoveries made throughout recent decades. The developing foetus responds intensely to maternal physiological changes and hormonal fluctuations as well as nutritional state and emotional states, which leads to the notion of "foetal programming" that determines disease and behavioural outcomes throughout life (Monk et al., 2019). Research based on epidemiology and mechanistic investigations reveals that early life and in utero conditions, including maternal metabolic status, influence long-term vulnerability. Environmental factors and psychological stress further contribute to the development of neuropsychiatric disorders, chronic diseases, and metabolic syndromes in adults (Gluckman et al., 2008; Fleming et al., 2018).

# Epigenetic Influences of Maternal Behavior, Emotion, and Environment on Foetal Programming

These biological processes can now be studied using epigenetic concepts, which control gene expression through modifiable DNA-based modifications without changing DNA sequences. The developing foetus undergoes epigenetic modifications because of maternal behavior, along with emotional well-being and nutritional status, and environmental factors (Bale, 2015). DNA methylation and histone modification function as external stimulus-gathered molecular regulators that modify both organ developmental pathways, neural wiring patterns, and stress response mechanisms (Moore et al., 2013; Choi & Friso, 2010).

Environmental exposures related to toxins, psychological stress, and dietary components change the foetal epigenome through scientific evidence supporting links between prenatal adversity, modified immune-relevant, metabolic, and developmentally important gene expression patterns (Marsit, 2015; Perera & Herbstman, 2011). Maternal systemic inflammatory responses, originating from infections or chronic stress factors, lead to abnormal neurodevelopmental outcomes through mechanisms that involve epigenetic instructions and cytokine network spread to foetal tissue areas (Jiang et al., 2018).

### Mechanistic Hypotheses Linking Garbhaanskara Practices to Foetal Development

Scientific research has established possible biological explanations that support the fundamental principles of Garbhaanskara. Through maternal meditation and positive thinking, as well as emotional regulation practices, pregnant women might achieve optimal hormonal and immune system balance, which decreases foetal exposure to glucocorticoids and inflammatory substances (Moisiadis & Matthews, 2014). The essential nutrients and cofactors needed for proper epigenetic programming respond to mindful nutrition practices, which are fundamental in both Ayurveda and contemporary obstetric care (Choi & Friso, 2010; Fleming et al., 2018). The practice of Garbhaanskara provides an environment of care and healthy, low-stress conditions during pregnancy, which potentially creates enduring effects on offspring brain development and genetic control as well as resilience potential according to (Mulligan, 2016; Bale, 2015).

# 5. Review of Scientific Evidence

### Impact of Maternal Emotions and Stress

Extensive research in the fields of psychology, obstetrics, and neuroscience shows that maternal stress and emotional disturbances during pregnancy can lead to significant developmental changes in the foetus. These changes may also affect the child's behavioural and cognitive development after birth. These effects occur through physiological stress hormone transfer mechanisms and epigenetic modifications according to Moore et al. (2013). The long-term neurodevelopmental outcomes of offspring become programmable through epigenetic mechanisms, which mainly involve DNA methylation (Mulligan, 2016). Research shows that maternal depression, together with anxiety during pregnancy, leads to changed behavioural, emotional, and cognitive outcomes in children (Field, 2011). Systematic reviews together with meta-analyses demonstrate that maternal stress during pregnancy elevates the chances of neurodevelopmental disorders, including autism spectrum disorder and attention deficit hyperactivity disorder (Manzari et al., 2019). The long-term effects of antenatal stress lead to structural brain changes, elevated stress responses, and a higher risk of psychiatric disorders in children through direct biological pathways and indirect environmental impacts (Talge et al., 2007; Fox & Rutter, 2010). The research demonstrates that objective and subjective stress factors lead to accelerated infant weight gain, which creates future metabolic risks, thus demonstrating the extensive impact of prenatal stress (Felder et al., 2020). Various studies demonstrate that maternal emotional health conditions directly affect foetal neurodevelopment and produce lasting effects on health (DiPietro, 2012).

#### Prenatal Music and Auditory Stimulation

Scientific research has confirmed that the foetus develops the ability to detect and respond to sounds it hears inside the womb. Scientific evidence on foetal auditory maturation reveals that during the second trimester, the foetal hearing system becomes ready to identify external sounds such as music and maternal voice (Shahidullah et al., 1994). Research evidence shows that foetuses develop the ability to recognize distinct sound patterns and prenatal exposure to particular sounds creates neural changes to memory systems before birth (Kisilevsky et al., 2003). Neurophysiological experiments show that foetuses develop speech processing neural plasticity through learning before birth because they recognize and distinguish linguistic cues according to Partanen et al. (2013). Clinical research demonstrates that playing music to preterm infants during kangaroo care reduces maternal stress and improves physical health results while proving the enduring neurobehavioral effects of prenatal and perinatal auditory stimulation (Lai et al., 2006).

#### Mindfulness, Meditation, and Yoga during Pregnancy

The scientific community supports mindfulness-based interventions and meditation, together with yoga programs, for their ability to decrease maternal stress as well as improve pregnancy outcomes. Previous studies shows that these bodymind practices lead to reduced cortisol levels in mothers while improving their emotional control and producing better pregnancy results (Field, 2011). Research studies show that prenatal mindfulness and yoga programmes help protect against stress effects and promote emotional regulation in pregnant women. These interventions create beneficial interactions between mothers and their foetuses by reducing stress hormone (cortisol) levels, which contribute to improved birth outcomes (Manzari et al., 2019). Scientific studies, including meta-analysis and randomized controlled trials, prove that stress-management interventions produce favourable effects on maternal well-being while managing hormone patterns and creating possibilities for healthy foetal growth and neuropsychological development (Talge et al., 2007).

#### Nutritional and Lifestyle Interventions

Maternal nutrition and lifestyle are key determinants of foetal development. They are considered the most important aspects in both traditional and modern approaches to pregnancy care. The nutritional choices of pregnant women, along with their dietary microelement quantities, control fundamental genetic alterations affecting both foetal development and future health risks (Moore et al., 2013). A combination of molecular biology findings and anthropology proves that unfavourable beginning environments, including diet difficulties in mothers, produce epigenetic modifications that increase the chance of diseases developing (Mulligan, 2016). The placental function together with foetal development gets

influenced by maternal lifestyle elements such as physical activity and stress management while interacting with nutritional status (Felder et al., 2020; DiPietro, 2012). The data confirms the Ayurvedic dietetic principles regarding specific nutritional guidelines and consistent daily practices in combination with mental equilibrium maintenance when caring for pregnant mothers.

# Holistic and Integrative Approaches

The recent literature review shows that prenatal care should include complete and multiple intervention methods that combine psychological counseling with body-mind techniques, together with appropriate nutrition and social network support. Multiple studies demonstrate that group interventions generate superior maternal and infant health results when compared with individual treatment methods (Talge et al., 2007; Fox & Rutter, 2010). Combining contemporary obstetric treatments with traditional practices, including meditation and mindful nutrition, and community-based care, delivers significant advantages for both maternal stress reduction along newborn health, according to the field (2011). Accumulated evidence supports the implementation of a comprehensive integrative prenatal care model like Garbhaanskara within the contemporary healthcare system. Table 1 presents key interventions associated with Garbhaanskara, such as stress reduction, music therapy, mindfulness, Ayurvedic nutrition, and integrative approaches, alongside corresponding studies, study designs, reported outcomes, and levels of evidence supporting their impact on maternal and foetal health.

Table 1. Selenting		ore Garbhaanskara Fractices. Studies, Outcomes, and Ecvers of Evidence				
Practice /	Key Studies	Study Design	Main Outcomes & Findings	Level of		
Intervention	(Author, Year)			Evidence		
Maternal Stress	Field, 2011;	Systematic	Lower maternal anxiety and	High		
Reduction	Manzari et al.,	review, Meta-	depression; improved foetal			
	2019	analysis	neurodevelopment			
Music/Auditory	Partanen et al.,	RCT,	Enhanced foetal auditory learning,	Moderate to		
Stimulation	2013; Kisilevsky	Experimental	improved neonatal adaptation, and	High		
	et al., 2003		modulated foetal heart rate have been			
			observed in randomized controlled			
			trials.			
Mindfulness,	Satyapriya et al.,	RCT, Meta-	Reduced stress hormone (cortisol)	High		
Meditation, Yoga	2009; Babbar et	analysis	levels, better birth outcomes			
	al., 2022					
Nutrition/Ayurvedic	Chandrasekaran,	Observational,	Optimal birth weight, reduced risk of	Moderate		
Diet	2016; Gernand	Review	deficiencies, improved maternal			
	et al., 2016		health.			
Holistic/Integrative	Hobel &	Multimodal	Improved maternal well-being,	Moderate		
Approaches	Culhane, 2003;	cohort, Case	higher satisfaction, and enhanced			
	Kumar &	series	neonatal outcomes.			
	Shankar, 2022					

Table 1: Scientific	Validation of Core	Garbhaanskara	Practices: Studies	Outcomes	and Levels of Evidence
	vanuation of Core	Outonaunskura	Theres, braules,	Outcomes	

### 6. Critical Appraisal of Evidence *Quality Assessment of Available Studies*

The evaluation of scientific evidence about maternal-foetal interventions needs to follow strict methodological requirements when assessing integrative approaches like Garbhaanskara. Excellent research requires full disclosure of research methodology, along with proper participant numbers and stringent measures to validate results and comprehensive bias reviews. Systematic reviews with meta-analysis can benefit from the PRISMA guidelines that emphasize clear selection of studies along with standard methods for data extraction and synthesis according to Moher et al. (2009). The Cochrane Collaboration's risk-of-bias tool provides a standardized system to evaluate randomization methods, blinding techniques, allocation concealment, and outcome reporting in clinical trials for assessing intervention study reliability (Higgins et al., 2011). The existing frameworks do not resolve the methodological issues that plague research about maternal-foetal communication, prenatal psychological interventions, and traditional practices. Research findings become less credible because authors often study small, non-representative participant groups that randomly select subjects or depend on subjective measurement methods (Ioannidis, 2005). Research integration across studies faces additional obstacles because studies show differences in their approaches to protocol delivery and measurement methods. Variations in time points for assessments further complicate comparative analysis across investigations (Fox & Rutter, 2010).

# Strengths, Limitations, and Gaps in Current Research

Scientific research in this field demonstrates strength because it combines findings across neuroscience and psychology, together with obstetrics and integrative medicine. Systematic reviews together with meta-analyses have elevated evidence standards, revealing that specific integrative interventions enhance patient quality of life (Lin et al., 2019). However, major limitations persist. The identification of causality, together with long-term efficacy, becomes challenging because studies often lack proper power, standardization, and have brief follow-up durations. Some reported effects lose credibility because of publication bias combined with selective outcome reporting and the lack of replication (Ioannidis, 2005).

# Cultural, Ethical, and Practical Challenges in Research Design

The study of integrative and complementary approaches during pregnancy faces multiple substantial cultural, ethical, and practical obstacles. The use of complementary and alternative medicine (CAM) depends heavily on cultural beliefs as well as demographic characteristics. This is supported by narrative reviews of CAM user characteristics (Bishop & Lewith, 2010). The process of standardizing interventions across different cultural settings proves difficult when it needs to respect traditional practices, which may define different standards of best practice between populations. The ethical standards of research must be prioritized when studying pregnant women because they represent a vulnerable demographic. The approvals for participants' understanding before study engagements, together with minimum safety measures and unconditional support for their rights, become vital. The process of recruitment and retention proves challenging, particularly for longitudinal studies, because participants worry about intervention safety, social support, and logistical barriers (Adams et al., 2011). The reported studies show small sample numbers and reduced population diversity because of these influential elements. The scientific world shows increasing interest in holistic prenatal treatments, but evidence development faces multiple methodological, cultural, and ethical limitations. The advancement of Garbhaanskara, along with similar prenatal practices in evidence-based care, requires proper research design combined with clear reporting and culturally appropriate strategies to address current challenges.

# 7. Integrating Garbhaanskara into Contemporary Prenatal Care

# Feasibility and Safety of Integrating Traditional Practices

Global health policy, together with clinical practice, now increasingly embraces traditional prenatal practices, including Garbhaanskara. Traditional Complementary and Alternative Medicine (TCAM) practices receive endorsement from the World Health Organization because they are widely used and culturally entrenched worldwide (Bodeker & Ong, 2005). The organization supports its evidence-based regulation within public health systems. Garbhaanskara principles include positive thinking, nutrition, and mindfulness. These align well with modern medical determinants of maternal and foetal health, which increases feasibility (Tambe, 2020). Safety must be addressed as the main consideration for including traditional approaches in pregnancy care systems. Empirical evidence suggests that the nonpharmacological components of Garbhaanskara therapy, such as meditation, music therapy, dietary counselling, and emotional support, are generally safe when administered with appropriate supervision. These interventions are most effective when tailored to the individual needs of patients (Hall et al., 2011; Holden et al., 2015). Healthcare professionals need to monitor the usage of herbal remedies while also recognizing their possible interactions with standard medical approaches by encouraging person-centered risk evaluations (Maina Mwaura, 2024).

# **Recommendations for Clinicians and Practitioners**

Healthcare providers aiming to achieve integration must cultivate cultural competence combined with knowledge about traditional beliefs and practices. The majority of maternity care professionals demonstrate positive views about Complementary and Alternative Medicine (CAM) according to surveys, yet they express a need for enhanced education, clear guidelines, and effective referral systems (Adams et al., 2011). The clinical practice requires healthcare providers to ask about traditional practices, provide evidence-based information, and practice shared decision-making to respect cultural values while maintaining safety and effectiveness (Tambe, 2020). The professional consensus emphasizes joint work between biomedical professionals and trained traditional healers and Ayurvedic specialists who focus on maternal mental health, nutrition, and lifestyle needs (Smith et al., 2019). An integrative prenatal design utilizing interdisciplinary patient approaches alongside individual counseling strategies supports the best integration of Garbhaanskara practices alongside conventional prenatal medical practices.

# Potential Impact on Maternal and Child Health Outcomes

Research indicates that properly combined Garbhaanskara practices lead to significant advantages for both pregnant women and their newborns. Meta-analyses and systematic reviews have consistently demonstrated that supportive therapies, including mindfulness, music therapy, and mind-body interventions, are effective in alleviating mental distress among pregnant women (Smith et al., 2019). The psychological well-being approach of Garbhaanskara follows the path toward better foetal development. The combination of integrative prenatal care methods leads to better maternal satisfaction and improved adherence to healthy behaviors and birth outcomes that show favourable results in specific research (Hall et al., 2011; Holden et al., 2015). The interventions that translate traditional values into evidence-based medical practices seem to work best for multicultural groups consisting of various populations (Maina Mwaura, 2024). The integration of Garbhaanskara into modern prenatal care remains possible yet beneficial when healthcare providers maintain oversight and cultural awareness while continuing research on its implementation. Traditional medicine practitioners working together with conventional healthcare providers create new possibilities to develop comprehensive care focused on maternal patients.

# 8. Future Directions and Research Needs

The evidence-based application of Garbhaanskara in modern prenatal care depends on extensive research conducted through randomized controlled trials (RCTs), large cohort studies, and qualitative investigations to establish efficacy, ensure safety, and evaluate social impacts (Schulz et al., 2010; Holden et al., 2015). The research would benefit from using the Consolidated Standards of Reporting Trials (CONSORT) guidelines for clinical trials together with rigorous qualitative content analysis to achieve trustworthiness and transparency in research (Schulz et al., 2010; Elo et al., 2014). Scientific research can combine different methods with pragmatic investigative approaches to measure both medical effectiveness

and patient experiences. It can also account for social and psychosocial variables that influence health outcomes (Lewith et al., 2010). Institutional policies, together with regulatory oversight, work towards ensuring safety standards alongside maintaining quality assurance and equitable access to traditional medical practices in areas such as Taiwan and various parts of Africa (Chi, 1994; Ang et al., 2021). The educational programs and healthcare policies need to provide clinicians with scientific competencies and cultural awareness, along with precise patient-transfer protocols that help develop cooperative care for individuals (Lewith et al., 2010). The strong ethical requirements mandate thorough consent procedures together with population vulnerability safeguards and cultural preservation in scientific research that examines traditional knowledge and studies pregnant women (Tilburt & Kaptchuk, 2008). A future research agenda for Garbhaanskara needs to combine interdisciplinary approaches, methodological rigor, policy support, and education to achieve its maximum potential in contemporary maternal and child health systems.

### 9. Conclusion

The review explores Garbhaanskara by illustrating how ancient Indian prenatal care knowledge aligns with contemporary scientific understanding. An integrative analysis linking Ayurveda and philosophy with neuroscience and psychology confirms that traditional beliefs correspond closely with current research on the developmental origins of health. The holistic approach of Garbhaanskara incorporates dietary practices, music, meditation, and positive emotional states. This aligns with modern insights into prenatal programming, epigenetics, and the impact of maternal health on child development. Substantial evidence indicates that maternal stress and emotional well-being during pregnancy significantly influence foetal brain development and long-term health outcomes. Recent studies affirm that practices embedded in Garbhaanskara, particularly meditation, yoga, and balanced nutrition, assist mothers in managing stress while enhancing foetal and maternal well-being. Additionally, emerging research into prenatal sensory stimulation supports the efficacy of auditory and emotional engagement with the foetus. The convergence of lifestyle, psychological, and sensory factors offers promising avenues for enhancing maternal healthcare. However, challenges persist due to variability in research quality, limited sample sizes, and cultural heterogeneity, which restrict the generalizability of findings. To overcome these limitations, there is a critical need for robust interdisciplinary research involving obstetrics, psychology, neuroscience, epigenetics, public health, and traditional medicine. Future studies should prioritize methodological rigour, cultural sensitivity, and ethical safeguards to ensure the integration of Garbhaanskara within evidence-based prenatal care frameworks. Ultimately, the integration of traditional prenatal wisdom with contemporary scientific inquiry can foster holistic, person-centered care models that advance the health and well-being of future generations worldwide.

#### References

- Monk, C., Lugo-Candelas, C., & Trumpff, C. (2019). Prenatal developmental origins of future psychopathology: mechanisms and pathways. *Annual review of clinical psychology*, 15(1), 317-344. https://doi.org/10.1146/annurevclinpsy-050718-095539
- O'Donnell, K. J., & Meaney, M. J. (2017). Foetal origins of mental health: the developmental origins of health and disease hypothesis. *American Journal of Psychiatry*, 174(4), 319-328. https://doi.org/10.1176/appi.ajp.2016.16020138
- Glover, V. (2014). Maternal depression, anxiety, and stress during pregnancy and child outcome: what needs to be done. *Best practice & research Clinical obstetrics & gynaecology*, 28(1), 25-35. https://doi.org/10.1016/j.bpobgyn.2013.08.017
- Van den Bergh, B. R., van den Heuvel, M. I., Lahti, M., Braeken, M., de Rooij, S. R., Entringer, S., ... & Schwab, M. (2020). Prenatal developmental origins of behavior and mental health: The influence of maternal stress in pregnancy. *Neuroscience & Biobehavioral Reviews*, 117, 26-64. https://doi.org/10.1016/j.neubiorev.2017.07.003
- 5. Barker, D. J. (2007). The origins of the developmental origins theory. *Journal of internal medicine*, 261(5), 412-417. https://doi.org/10.1111/j.1365-2796.2007.01809.x
- 6. Kisilevsky, B. S. (2016). Foetal auditory processing: implications for language development?. *Foetal development: Research on brain and behavior, environmental influences, and emerging technologies*, 133-152. https://doi.org/10.1016/S0146-0005(98)80012-7
- 7. Hepper, P. G. (1996). Foetal memory: does it exist? What does it do?. Acta Paediatrica, 85, 16-20. https://doi.org/10.1111/apa.12856
- 8. Field, T. (2011). Prenatal depression effects on early development: a review. *Infant behavior and development*, 34(1), 1-14. https://doi.org/10.1016/j.infbeh.2010.09.008
- Narendran, S., Nagarathna, R., Narendran, V., Gunasheela, S., & Nagendra, H. R. R. (2005). Efficacy of yoga on pregnancy outcome. *Journal of Alternative & Complementary Medicine*, 11(2), 237-244. https://doi.org/10.1089/acm.2005.11.237
- Reissland, N., Froggatt, S., Reames, E., & Girkin, J. (2018). Effects of maternal anxiety and depression on foetal neurodevelopment. *Journal of Affective Disorders*, 241, 469-474. https://doi.org/10.1016/j.jad.2018.08.047
- 11. Glover, V., O'connor, T. G., & O'Donnell, K. (2010). Prenatal stress and the programming of the HPA axis. *Neuroscience & Biobehavioral Reviews*, 35(1), 17-22. https://doi.org/10.1016/j.neubiorev.2009.11.008
- 12. van den Heuvel, M. I., & Thomason, M. E. (2016). Functional connectivity of the human brain in utero. *Trends in cognitive sciences*, 20(12), 931-939. https://doi.org/10.1016/j.tics.2016.10.001
- Movalled, K., Sani, A., Nikniaz, L., & Ghojazadeh, M. (2023). The impact of sound stimulations during pregnancy on foetal learning: a systematic review. *BMC pediatrics*, 23(1), 183. https://doi.org/10.1186/s12887-023-03990-7
- 14. Rathod, P., & Jaiswal, R. (2025). A Scientific Approach to Preventive Pregnancy Care through Ayurveda Classics. *Current Traditional Medicine*. https://doi.org/10.2174/0122150838322415250114045541

- 15. Villar-Alises, O., Martinez-Miranda, P., & Martinez-Calderon, J. (2023). Prenatal yoga-based interventions may improve mental health during pregnancy: an overview of systematic reviews with meta-analysis. *International Journal* of Environmental Research and Public Health, 20(2), 1556. https://doi.org/10.3390/ijerph20021556
- 16. Braithwaite, E. C., Pickles, A., Sharp, H., Glover, V., O'Donnell, K. J., Tibu, F., & Hill, J. (2017). Maternal prenatal cortisol predicts infant negative emotionality in a sex-dependent manner. *Physiology & behavior*, 175, 31-36. https://doi.org/10.1016/j.physbeh.2017.03.017
- 17. David, A. L., & Spencer, R. N. (2022). Clinical assessment of foetal well-being and foetal safety indicators. *The Journal of Clinical Pharmacology*, 62, S67-S78. https://doi.org/10.1002/jcph.2126
- 18. Foster, S. M. (2006). A literature review: the effects of maternal stress in pregnancy on sensory integration in children. *Journal of Prenatal and Perinatal Psychology and Health*, 21(1), 83.
- 19. He, H., Huang, J., Zhao, X., & Li, Z. (2021). The effect of prenatal music therapy on foetal and neonatal status: A systematic review and meta-analysis. *Complementary Therapies in Medicine*, 60, 102756. https://doi.org/10.1016/j.ctim.2021.102756
- 20. Rathi, I., Mavi, A., Shannawaz, M., Saeed, S., Yadav, A., & Hasan, S. (2024). Effectiveness of Ayurveda Intervention in the Management of Infertility: A Systematic Review. *Cureus*, 16(4). https://doi.org/10.7759/cureus.57730
- 21. Lad, V. (2001). Textbook of Ayurveda: Fundamental principles: Vol. 1.
- 22. Sharma, P. V. (2008). Charaka-samhita (text with English translation). volume I, II. Varanasi, Uttar Pradesh, India: Chaukhambha Orientalia, 5.
- Murthy, A. R., & Mahajan, B. (2016). Medicinal importance of Darbha-A review. Journal of Ayurvedic and Herbal Medicine, 2(3), 89-95.
- 24. Krishnananda, S. (1973). Meditation according to the Upanishads.
- 25. Mukherjee, P. K., & Wahile, A. (2006). Integrated approaches towards drug development from Ayurveda and other Indian system of medicines. *Journal of ethnopharmacology*, 103(1), 25-35. https://doi.org/10.1016/j.jep.2005.09.024
- 26. Lakhani, R. A., & Sharma, G. B. (2023). Garbh Sanskar-A Step Towards A Better Future. https://doi.org/10.20959/wjpr202310-28538
- 27. Tiwari, P. V. (1999). Ayurvediya Prasuti tantra and Stri Roga, 1st Part. Chaukhmabha Orientalia.
- 28. Verma, P., & Shukla, A. (2023). Garbh Sanskar: Preparation of Motherhood. International Journal of Indian Psychology, 11(3). https://doi.org/10.25215/1103.081
- 29. Veer, P. B. Garbhasanskar–Need of the Era.
- 30. Itraj, K., & Rakhi, E. (2023). Comparative Study of Pregnant Women with Garbha Sanskar Challenge and without Garbha Sanskar Challenge on Stress, Depression and Anxiety. *International Journal of Indian Psychology*, 11(4). https://doi.org/10.25215/1104.077
- 31. Monk, C., Lugo-Candelas, C., & Trumpff, C. (2019). Prenatal developmental origins of future psychopathology: mechanisms and pathways. *Annual review of clinical psychology*, 15(1), 317-344. https://doi.org/10.1146/annurevclinpsy-050718-095539
- 32. Gluckman, P. D., Hanson, M. A., Cooper, C., & Thornburg, K. L. (2008). Effect of in utero and early-life conditions on adult health and disease. *New England journal of medicine*, 359(1), 61-73. https://doi.org/10.1056/NEJMra0708473
- 33. Fleming, T. P., Watkins, A. J., Velazquez, M. A., Mathers, J. C., Prentice, A. M., Stephenson, J., & Godfrey, K. M. (2018). Origins of lifetime health around the time of conception: causes and consequences. *The Lancet*, 391(10132), 1842-1852. https://doi.org/10.1016/S0140-6736(18)30312-X
- 34. Bale, T. L. (2015). Epigenetic and transgenerational reprogramming of brain development. *Nature Reviews Neuroscience*, 16(6), 332-344. https://doi.org/10.1038/nrn3818
- 35. Choi, S. W., & Friso, S. (2010). Epigenetics: a new bridge between nutrition and health. Advances in nutrition, 1(1), 8-16. https://doi.org/10.3945/an.110.1004
- Marsit, C. J. (2015). Influence of environmental exposure on human epigenetic regulation. *Journal of Experimental Biology*, 218(1), 71-79. https://doi.org/10.1242/jeb.106971
- 37. Jiang, N. M., Cowan, M., Moonah, S. N., & Petri, W. A. (2018). The impact of systemic inflammation on neurodevelopment. *Trends in molecular medicine*, 24(9), 794-804. https://doi.org/10.1016/j.molmed.2018.07.006
- Perera, F., & Herbstman, J. (2011). Prenatal environmental exposures, epigenetics, and disease. *Reproductive toxicology*, 31(3), 363-373. https://doi.org/10.1016/j.reprotox.2010.12.055
- Moisiadis, V. G., & Matthews, S. G. (2014). Glucocorticoids and foetal programming part 1: outcomes. *Nature Reviews Endocrinology*, 10(7), 391-402. https://doi.org/10.1038/nrendo.2014.73
- 40. Moore, L. D., Le, T., & Fan, G. (2013). DNA methylation and its basic function. *Neuropsychopharmacology*, 38(1), 23-38. https://doi.org/10.1038/npp.2012.112
- 41. Mulligan, C. J. (2016). Early environments, stress, and the epigenetics of human health. Annual Review of Anthropology, 45(1), 233-249. https://doi.org/10.1146/annurev-anthro-102215-095954
- 42. Field, T. (2011). Prenatal depression effects on early development: a review. *Infant behavior and development*, 34(1), 1-14.
- 43. Manzari, N., Matvienko-Sikar, K., Baldoni, F., O'Keeffe, G. W., & Khashan, A. S. (2019). Prenatal maternal stress and risk of neurodevelopmental disorders in the offspring: a systematic review and meta-analysis. *Social psychiatry* and psychiatric epidemiology, 54, 1299-1309. https://doi.org/10.1016/j.infbeh.2010.09.008
- 44. Talge, N. M., Neal, C., Glover, V., & Early Stress, Translational Research and Prevention Science Network: Foetal and Neonatal Experience on Child and Adolescent Mental Health. (2007). Antenatal maternal stress and long-term effects

on child neurodevelopment: how and why?. Journal of Child Psychology and Psychiatry, 48(3-4), 245-261. https://doi.org/10.1111/j.1469-7610.2006.01714.x

- 45. Felder, J. N., Epel, E., Coccia, M., Cordeiro, A., Laraia, B., Adler, N., ... & Bush, N. R. (2020). Prenatal maternal objective and subjective stress exposures and rapid infant weight gain. *The Journal of pediatrics*, 222, 45-51.
- 46. DiPietro, J. A. (2012). Maternal stress in pregnancy: considerations for foetal development. *Journal of adolescent health*, 51(2), S3-S8. https://doi.org/10.1016/j.jadohealth.2012.04.008
- 47. Partanen, E., Kujala, T., Näätänen, R., Liitola, A., Sambeth, A., & Huotilainen, M. (2013). Learning-induced neural plasticity of speech processing before birth. *Proceedings of the National Academy of Sciences*, 110(37), 15145-15150. https://doi.org/10.1073/pnas.1302159110
- 48. Shahidullah, B. S., Koyanagi, T., Mccartney, G. R., Scott, D., Shahidullah, S., & Shannon, E. A. (1994). Development of foetal hearing. *Archives of Disease in Childhood*, 71(2), F81-F87.
- 49. Kisilevsky, B. S., Hains, S. M., Lee, K., Xie, X., Huang, H., Ye, H. H., ... & Wang, Z. (2003). Effects of experience on foetal voice recognition. *Psychological science*, 14(3), 220-224.
- Lai, H. L., Chen, C. J., Peng, T. C., Chang, F. M., Hsieh, M. L., Huang, H. Y., & Chang, S. C. (2006). Randomized controlled trial of music during kangaroo care on maternal state anxiety and preterm infants' responses. *International journal of nursing studies*, 43(2), 139-146.
- 51. Fox, N. A., & Rutter, M. (2010). Introduction to the special section on the effects of early experience on development. *Child development*, 81(1), 23-27.
- 52. Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *Bmj*, 339. https://doi.org/10.1371/journal.pmed.1000097
- 53. Higgins, J. P., Altman, D. G., Gøtzsche, P. C., Jüni, P., Moher, D., Oxman, A. D., ... & Sterne, J. A. (2011). The Cochrane Collaboration's tool for assessing risk of bias in randomised trials. *bmj*, 343. https://doi.org/10.1136/bmj.d5928
- 54. Ioannidis, J. P. (2005). Why most published research findings are false. *PLoS medicine*, 2(8), e124. https://doi.org/10.1371/journal.pmed.0020124
- 55. Lin, W. F., Zhong, M. F., Zhou, Q. H., Zhang, Y. R., Wang, H., Zhao, Z. H., ... & Ling, C. Q. (2019). Efficacy of complementary and integrative medicine on health-related quality of life in cancer patients: a systematic review and meta-analysis. *Cancer management and research*, 6663-6680.
- 56. Bishop, F. L., & Lewith, G. T. (2010). Who uses CAM? A narrative review of demographic characteristics and health factors associated with CAM use. *Evidence-Based Complementary and Alternative Medicine*, 7(1), 11-28. https://doi.org/10.1093/ecam/nen023
- 57. Adams, J., Sibbritt, D., & Lui, C. W. (2011). The use of complementary and alternative medicine during pregnancy: a longitudinal study of Australian women. *Birth*, *38*(3), 200-206. https://doi.org/10.1111/j.1523-536X.2011.00477.x
- 58. Bodeker, G., & Ong, C. K. (2005). *WHO global atlas of traditional, complementary and alternative medicine* (Vol. 1). World Health Organization.
- 59. Maina Mwaura, F. Integrating Traditional Medicine with Modern Healthcare: Addressing Maternal and Mental Health in Uganda.
- 60. Adams, J., Lui, C. W., Sibbritt, D., Broom, A., Wardle, J., & Homer, C. (2011). Attitudes and referral practices of maternity care professionals with regard to complementary and alternative medicine: an integrative review. *Journal of* advanced nursing, 67(3), 472-483. https://doi.org/10.3109/0167482X.2014.980722
- 61. Smith, C. A., Shewamene, Z., Galbally, M., Schmied, V., & Dahlen, H. (2019). The effect of complementary medicines and therapies on maternal anxiety and depression in pregnancy: a systematic review and meta-analysis. *Journal of affective disorders*, 245, 428-439. https://doi.org/10.1016/j.jad.2018.11.054
- 62. Hall, H. G., Griffiths, D. L., & McKenna, L. G. (2011). The use of complementary and alternative medicine by pregnant women: a literature review. *Midwifery*, 27(6), 817-824. https://doi.org/10.1016/j.midw.2010.08.007
- 63. Tambe, S. B. (2020). AYURVEDIC GARBHA SANSKAR: The Art and Science of Pregnancy. Sakal Media Pvt. Ltd..
- 64. Holden, S. C., Gardiner, P., Birdee, G., Davis, R. B., & Yeh, G. Y. (2015). Complementary and alternative medicine use among women during pregnancy and childbearing years. *Birth*, 42(3), 261-269. https://doi.org/10.1111/birt.12177
- 65. Elo, S., Kääriäinen, M., Kanste, O., Pölkki, T., Utriainen, K., & Kyngäs, H. (2014). Qualitative content analysis: A focus on trustworthiness. SAGE open, 4(1), 2158244014522633. https://doi.org/10.1177/2158244014522633
- 66. Schulz, K. F., Altman, D. G., & Moher, D. (2010). CONSORT 2010 statement: updated guidelines for reporting parallel group randomised trials. *Journal of Pharmacology and pharmacotherapeutics*, *1*(2), 100-107. https://doi.org/10.7326/0003-4819-152-11-201006010-00232
- 67. Chi, C. (1994). Integrating traditional medicine into modern health care systems: examining the role of Chinese medicine in Taiwan. *Social science & medicine*, *39*(3), 307-321. https://doi.org/10.1016/0277-9536(94)90127-9
- 68. Ang, L., Song, E., & Lee, M. S. (2021). Randomized controlled trials of traditional, complementary, and integrative medicine-based interventions for coronavirus disease 2019 (COVID-19): a bibliometric analysis and review of study designs. *Integrative Medicine Research*, 10, 100777. https://doi.org/10.1016/j.imr.2021.100777
- 69. Lewith, G. T., Jonas, W. B., & Walach, H. (Eds.). (2010). Clinical research in complementary therapies: Principles, problems and solutions. *Elsevier Health Sciences*.
- 70. Tilburt, J. C., & Kaptchuk, T. J. (2008). Herbal medicine research and global health: an ethical analysis. *Bulletin of the World Health Organization*, *86*, 594-599. https://doi.org/10.2471/BLT.07.042820